# MISCELLANEOUS DEPARTMENTS

## OFFICE OF THE INSPECTOR-GENERAL OF POLICE IN MYSORE, BANGALORE.

*Notice No. T. C.* 295—37-38, *dated* 19*th November* 1937.

The public are hereby informed that an Avery's Weigh-bridge to weigh motor vehicles is erected in the Office of the Inspector-General of Police in Mysore, Cenotaph Road, Bangalore City, and that motor vehicles brought for weighment will be weighed on payment of a fee of Rs. 10 for each weighment. A certificate of weighment will invariably be issued with each weighment so made.

F. A. HAMILTON,
*Inspector-General of Police.*

## BUREAU OF SANITARY ENGINEERING, BANGALORE.

*Notification dated* 22*nd September* 1938.

It is hereby notified for the information of the public that certain unserviceable stores, such as machinery and spares of the steam plant, etc., will be sold by public auction on 27th, 28th and 29th of October 1938 at 3 P.M. at Bethamangala Pumping Station, Kolar Gold Fields Water Works Sub-Division.

*Terms of conditions of auction sale.*

(1) The articles will be knocked down to the highest bidder and in the event of any dispute arising between two or more bidders at the same price the lot shall be put up again and resold.
(2) All articles purchased shall be at the risk of the purchaser thereof from the time of sale.
(3) All lots shall be removed with faults and errors of all description as sold.
(4) Cash shall be paid in full for lot or lots purchased by the bidders before delivery, but the lot or lots shall not be removed from the place of auction until after the close of the sale.
(5) In case of default of payment to the whole or any portion of the purchase amount by any bidder, the articles shall be resold and the bidder shall be liable to make good to Government any loss incurred thereby.
(6) A deposit of 10 per cent of the amount tendered by the successful bidder shall be recovered immediately the lots are knocked down in his favour and such deposits shall be treated as forfeited to Government in case of any default to pay the purchase money within three days from the date of sale. On resale, the bidder shall be liable to make good any loss incurred thereby, without having the right to participate in any profits that may be realised.
(7) The fixtures should be removed by the bidders at their own cost and should adhere to the instructions of the Superintendent, Kolar Gold Fields Water Works, in this behalf.

List of articles of tools and plant available for transfer.

| No. | Particulars | Quantity | Remarks |
|---|---|---|---|
| 1 | Boiler Babcock and Wilcox—double drums | 1 | Permanent fixture (good condition). |
| 2 | Economiser Greens patent | 1 | Do do |
| 3 | Engines vertical with main pump (steam) | 2 | Do do |
| 4 | Pelton wheel or water motor | 1 | This was required by the Engineering College. |
| 5 | Engines low lift (Steam) | 2 | One is a permanent fixture |
| 6 | Expanders tubes | 2 | Boiler spares permanent fixture. |
| 7 | Turbine tube cleaner | 1 | Boiler serviceable. |
| 8 | Pump centrifugal with pelton complete | 1 | Alum pump. Serviceable. |
| 9 | Boiler tube remover | 1 | Boiler spare do |
| 10 | Crank shaft machined and keyway cut | 1 | Steam engine part do |
| 11 | Engine connecting rod (bright steel) | 1 | Do do |
| 12 | Pump connecting rod (forged steel) | 1 | Do do |
| 13 | Piston rods I. P. $2\frac{1}{2}''\times3'-7\frac{3}{8}''$ long | 1 | Do do |
| 14 | Eccentric sheives | 4 | Steam plant spares do |
| 15 | Main pump sheives G. M. $6\frac{1}{2}''$ bore $2'=2\frac{1}{2}''$ long machined and bored | 1 | Do do |
| 16 | Air pump plunger C. I. $6\frac{1}{2}''$ bore $1'-7''$ long | 1 | Do do |
| 17 | Air pump ring G. M. $6\frac{1}{2}''$ | 1 | Do do |
| 18 | Bearing C. I. with white metal for pump crank shaft | 1 | Do do |
| 19 | Ring piston C. I. $2'-2\frac{1}{2}''$ with G. M. tong pieces | 2 | Do do |
| 20 | Brasses for engine big ends | 3 | Do do |
| 21 | Do little ends | 7 | Do do |
| 22 | Rings piston I. P. C. $1'-5''$ diameter | 8 | Do do |
| 23 | Mild steel pins for Rocker arm | 3 | Do do |

| No. | Particulars | Quantity | Remarks |
|---|---|---|---|
| 24 | Spare coags for economiser .. .. .. .. | 4 | Economiser spares Serviceable |
| 25 | Worths do .. .. .. .. | 3 | Do do |
| 26 | Scraper spare .. .. .. .. .. | 19 | Do do |
| 27 | Table condenser brass 6'—9⅞" .. .. .. .. | 4 | Steam plant spares. |
| 28 | Do 3'—7⅝" .. .. .. | 12 | Do do |
| 29 | Machine clearing hanohold .. .. .. .. | 1 | Boiler tool do |
| 30 | Main pump cylinder studs. .. .. .. .. | 10 | Steam plant do |
| 31 | Pump gland studs .. .. .. .. .. | 5 | Do. do |
| 32 | Suction studs .. .. .. .. .. | 26 | Do do |
| 33 | Gauge Vacuum-Barton .. .. .. .. | 2 | Do do |
| 34 | G. M. Glands with nuts for boiler feed valve .. .. .. | 2 | Boiler spares do |
| 35 | G. M. Union nuts for gauge colounn .. .. .. .. | 6 | Do do |
| 36 | G. M. Valve pieces for boiler safety valve .. .. .. | 8 | Do do |
| 37 | Rod thimble boring with bracket .. .. .. .. | 1 | Steam plant tool. Serviceable. |
| 38 | Diagram plugs with handles .. .. .. .. | 8 | Do do |
| 39 | Steel nuts and washers for engine little ends .. .. .. | 5 | Do do |
| 40 | Steel studs and nuts for pump cover .. .. .. .. | 4 | Do do |
| 41 | One coags and cutters for turbine tube cleaner .. .. | 1 | Boiler spare do |
| 42 | Circular cutter for do .. .. .. .. | 12 | Do do |
| 43 | Steel washers do .. .. .. .. | 6 | Do do |
| 44 | G. M. Nuts for air pump rods .. .. .. .. | 15 | Steam plant spares do |
| 45 | G. M. covers for grease cups (top with screws) .. .. | 12 | Do do |
| 46 | Do grease cups for bottom .. .. .. | 20 | Do do |
| 47 | G. M. Valve pieces for ¾" steam valves .. .. .. | 6 | Do do |
| 48 | Do 1" Steam Valves .. .. .. | 19 | Do do |
| 49 | C. I. flat bars for boiler doors .. .. .. .. | 2 | Boiler spare do |
| 50 | G. M. bushes for L. L. pumps .. .. .. | 1 | do do |
| 51 | C. I. glands for engine .. .. .. .. .. | 6 | Steam plant do |
| 52 | Top tapered for valve seats of pump .. .. .. | 1 | Do do |
| 53 | Main pump bearing bush set for H. P. .. .. | 2 | Do do |
| 54 | Trucks tramway side topping .. .. .. | 4 | Do do |
| 55 | Boiler tube cleaning brushes .. .. .. | 5 | Boiler spare do |
| 56 | Economiser cleaning brushes .. .. .. | 1 | Economiser do |
| 57 | Condenser tube cleaning brush .. .. .. | 2 | Steam plant do |

Articles available for transfer under "Stock account."

| Sl. No. | Particulars | Quantity | Stock value | Remarks |
|---|---|---|---|---|
| | | | Rs. a. p. | |
| 1 | 5¼" Steam piston ring with spring .. .. .. | 1 | 10 0 0 | Serviceable. |
| 2 | Bolts M. S. 1⅛"×9¾" .. .. .. .. | 22 | 10 10 0 | Do |
| 3 | Do 1"×7" for engine main bearing .. | 20 | 125 0 0 | Do |
| 4 | G. M. Feed regulating valve .. .. .. | 1 | 82 8 0 | Do |
| 5 | C. I. Impeller for 8" B Class pump .. .. .. | 2 | 465 0 0 | Do |
| 6 | 2½" Combined check valve .. .. .. | 1 | 172 0 0 | Do |
| 7 | 2" do .. .. .. .. | 2 | 344 0 0 | Do |
| 8 | Main valve spindle rods H.P.I.P.L.P. .. .. | 6 | 862 8 0 | Do |
| 9 | Expansion valve rods .. .. .. .. | 2 | 287 8 0 | Do |
| 10 | Steam chest valve .. .. .. .. | 6 | 1,121 4 0 | Do |
| 11 | 2½" angle stain steam valve .. .. .. | 1 | 40 0 0 | Do |
| 12 | G. M. seats for pumps .. .. .. .. | 86 | 1,268 8 0 | Do |
| 13 | Do Valves pumps .. .. .. .. | 104 | 494 0 0 | Do |
| 14 | Do guards pumps .. .. .. .. | 163 | 570 8 0 | Do |
| 15 | Phospher bronze springs .. .. .. .. | 82 | 133 4 0 | Do |
| 16 | Steam couplings .. .. .. .. | 2 | 33 0 0 | Do |
| 17 | G. M. Grease cups .. .. .. .. | 7 | 142 5 4 | Do |
| 18 | C. I. valve chests with studs fitted .. .. | 3 | 896 0 0 | Do |
| 19 | G. M. adjusting blocks for L.L. ends .. .. | 5 | 50 6 8 | Do |
| 20 | G. M. Spare gland spindles and nuts for boiler feed valve. | 3 | 76 4 0 | Do |
| 21 | Brass bushes and neck rings for engine stands .. | 5 | 72 4 8 | Do |
| 22 | M. S. dogs for boiler manhole doors .. .. | 11 | 144 12 6 | Do |

| Sl. No. | Particulars | Quantity | Stock value | Remarks |
|---|---|---|---|---|
| | | | Rs. a. p. | |
| 23 | G. M. rough casting for engine cylinder .. .. | 19 | 125 7 8 | Serviceable. |
| 24 | G. M. bearing brasses for pump little ends .. .. | 2½ | 16 8 2 | Do |
| 25 | G. M. glands for boiler valve .. .. .. | 2 | 50 13 4 | Do |
| 26 | Pins M. S. for engine little ends .. .. .. | 6 | 30 0 0 | Do |
| 27 | Engine cross heads H.P.I.P.L.P. .. .. .. | 9 | 2,109 8 3 | Do |
| 28 | Pump cross heads .. .. .. .. | 3 | 600 0 0 | Do |
| 29 | Bolts 1⅛" for boiler tube caps .. .. .. | 56 | 56 0 0 | Do |
| 30 | Nuts for boiler tube caps .. .. .. | 59 | 118 0 0 | Do |
| 31 | Piston rods H.P.I.P.L.P. .. .. .. | 3 | 232 8 0 | Do |
| 32 | H.P. valve rod guides .. .. .. .. | 1 | 100 0 0 | Do |
| 33 | Piston rings for L. L. engine .. .. .. | 12 | 12 0 0 | Do |
| 34 | 2½" steam stop valve with wheels .. .. .. | 3 | 456 1 6 | Do |
| 35 | G. M. pipe piece 1" dia. for slum pump .. .. | 5 | 1 0 0 | Do |
| 36 | Condenser brass tubes 6—9/8" .. .. .. | 17 | 452 14 3 | Do |
| 37 | Condenser brass tube 3'—7/8" .. .. .. | 18 | 479 8 6 | Do |
| 38 | Lubricator 1 pint .. .. .. .. | 1 | 35 0 0 | Do |
| 39 | Do ¼" .. .. — — | 1 | 14 0 0 | Do |
| 40 | G. M. Main pump rods and nuts — — — | 5 | 342 8 0 | Do |
| 41 | Steel nuts for pump rods .. .. .. | 8 | 164 0 0 | Do |
| 42 | Rubber valves for air pump .. .. .. | 13 | 94 4 0 | Do |
| 43 | C. I. flap for 10" reflex valves .. .. .. | 1 | 30 10 0 | Do |
| 44 | Brasses for L. L. ends .. .. .. .. | 5 | 141 14 0 | Do |
| 45 | Internal lids for master lids for economiser .. .. | 20 | 173 15 4 | Do |
| 46 | New style plate and bolt .. .. .. .. | 1 | 8 10 6 | Do |
| 47 | Boiler tube 18" .. .. .. .. | 17 | 548 4 0 | Do |
| 48 | Brushes for boiler tube cleaning .. .. .. | 6 | .. | Do |
| 49 | Copper bends 7" .. .. .. — .. | 1 | 320 0 0 | Do |
| | Total — | | 14,470 8 8 | |

N. KRISHNIENGAR,
*Sanitary Engineer.*

## OFFICE OF THE *EX-OFFICIO* CONTROLLER OF PATENTS AND DESIGNS IN MYSORE, BANGALORE.

*No. C2 Pat.* 180 *of* 1938-39, *dated* 26*th September* 1938.

NOTICE OF ACCEPTANCE OF APPLICATION FOR PATENT.

*No.* 180 *of* 1938-39, *dated* 12*th July* 1938.

Notice is hereby given that all persons interested in opposing the grant of a patent on the application referred to below may, at any time, within three months of the date of this notification, give notice to the *Ex-officio* Controller of Patents and Designs in Mysore, in the prescribed form No. 5 of such opposition.

Messrs. Remfry and Son, Patent and Trade Mark Attorneys, Calcutta, on behalf of Messrs. The Pomilio Corporation, Ltd., of England.

"Improvements in or relating to processes and apparatus for the extraction of Cellulosic Fibres from Vegetable Material."

Any one desiring to inspect copy of the specification of the above may call at the Office of the *Ex-officio* Controller of Patents and Designs on any working day between 11 A.M. and 5 P.M. A sum of rupee one will be charged for such inspection.

L. MUNSIWAMY,
For Ex-officio *Controller of Patents and Designs.*

## COMPTROLLER'S OFFICE, BANGALORE.

*Notice.*

It is hereby notified that the undermentioned articles will be sold by public auction on Monday the 17th October 1938 at 2 P.M. at the office of the undersigned subject to the following conditions:

(i) The property will be knocked down to the highest bidder.
(ii) The full price of the articles should be paid in cash before they are removed from the office premises.
(iii) The undersigned reserves to himself the right of rejecting any bid without assigning reasons therefor.